

Accessories

ilcoLight R

Fields of application

Reading lamp for home-care and hospital

Advantages

The ILCON reading lamp *ilcoLight R* allows patients and residents to switch on a light without any effort.

A flexible arm is easily adjusted to the right position. The switch has a hook affixed, so that it can be mounted almost anywhere near the bed. The soft LED light does not disturb other residents in the room.

In combination with the ILCON underbed light *ilcoLight UB*, it provides new solutions for night-time care.

Product details

Input voltage 100 - 240 V/AC, 50/60 Hz

Output Voltage. 7,5V DC

Power 3W/6VA

Efficiency rating A

Typ of protection II

Protection class IP 22

LED Count 8

Color temperature 5000K

Luminous flux 100 lm

Lifetime LEDs ca. 30000 h

Ambient temperature 0 °C bis +40 °C

ilcon
LINEAR ACTUATOR CONCEPTS



ilcon GmbH

Linear Actuator Concepts
Hertzstr. 1-3
27318 Hoya
Germany

Phone +49 4251 816610-10
www.ilcon.com
info@ilcon.com


ilcon Actuator Corp.

Linear Actuator Concepts
11511 James Street
Holland, MI 49424
USA


Phone (616) 796-3235
www.ilcon.com
info@ilcon.com

For more detailed data sheets, please contact our Sales Department. We would be pleased to provide a documentation according to your product specifications. Mistakes and printing errors excepted. If you have any questions, please do not hesitate to contact us.
Dated: 06/2017

Dimensional drawing



Dimensional drawing



Order key 407879

ilcon GmbH
Linear Actuator Concepts
Hertzstr. 1-3
27318 Hoya
Germany

Phone +49 4251 816610-10
www.ilcon.com
info@ilcon.com

ilcon Actuator Corp.
Linear Actuator Concepts
11511 James Street
Holland, MI 49424
USA

Phone (616) 796-3235
www.ilcon.com
info@ilcon.com

For more detailed data sheets, please contact our Sales Department. We would be pleased to provide a documentation according to your product specifications. Mistakes and printing errors excepted. If you have any questions, please do not hesitate to contact us.
Dated: 06/2017